



### Section 1: Identification of Chemical, Product and Company

**Address:** Unit 5/92 Township Drive, Burleigh Heads, Queensland, 4220  
**Telephone:** 07 5576 6388  
**Web/E-mail:** [www.eximport.com.au](http://www.eximport.com.au) or [info@eximport.com.au](mailto:info@eximport.com.au)  
**Substance:** Identified as a heterocyclic ketone  
**Trade name:** Elleebana Adhesive Remover  
**Product Use:** Cleaning agent  
**Creation Date:** January 2019  
**Revision Date:** January 2023

### Section 2: Composition, Information on Ingredients

#### Pure Substance:

#### Ingredients I.N.C.I

I.N.C.I.	CAS Number:
Propylene carbonate	108-32-7
Silica dimethicone silylate	68611-44-9
PEG-12	68937-54-2
Aqua	7732-18-5
Tributyl citrate	77-94-1

\* Ingredients vary between products. List of ingredients will appear on individual product labels.

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non-hazardous ingredients are also possible.

The SWA TWA exposure value is the average airborne concentration of a substance when calculated over a normal 8 hour working day for a 5-day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak "is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

### Section 3: Potential Health Effects

#### Statement of Hazardous nature

This product is classified as: Hazardous according to the criteria of SWA.

Not a Dangerous Good according to the Australian Dangerous Goods (ADG) Code, IATA or IMDG/IMSBC criteria.

**Risk Phrases:** R41. Risk of serious damage to eyes.

**Safety Phrases:** S23, S36, S51, S24/25. Do not breathe vapours or mists. Wear suitable protective clothing.

Use only in well ventilated areas. Avoid contact with skin and eyes.

**SUSMP Classification:** None allocated.

**ADG Classification:** None allocated. Not a Danger Good according to Australian Dangerous Goods (ADG) Code, IATA or IMDG/IMSBC criteria.

**UN Number:** None allocated

GHS Signal Word: WARNING

#### HAZARD STATEMENT:

H227: Combustible liquid.

H319: Causes serious eye irritation.

#### PREVENTION

P102: Keep out of reach of children.

P210: Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

P262: Do not get in eyes, on skin, or on clothing.

P264: Wash contacted areas thoroughly after handling.

P280: Wear protective gloves, protective clothing and eye or face protection.

#### RESPONSE

P352: Wash with plenty of soap and water.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice.

P370+P378: In case of fire, use carbon dioxide, dry chemical, foam, water fog.

## STORAGE

P402+P404: Store in a dry place. Store in a closed container.

P403+P235: Store in a well-ventilated place. Keep cool.

## DISPOSAL

P501: If they cannot be recycled, dispose of contents to an approved waste disposal plant and containers to landfill (see Section 13 of this SDS).

**Physical Description & Colour:** Colourless liquid gel  
**Odour:** Characteristic odour  
**Major Health Hazards:** May cause serious damage to eyes

## Potential Health Effects

### Inhalation:

**Short Term Exposure:** Available data indicates that this product is not harmful, however, product may be mildly irritating, although unlikely to cause anything more than mild transient discomfort.

**Long Term Exposure:** No data for health effects associated with long-term inhalation.

### Skin Contact:

**Short Term Exposure:** Available data indicates that this product is not harmful. It should present no hazards in normal use. Product may be mildly irritating, but is unlikely to cause anything more than mild discomfort, which should disappear once contact ceases.

**Long Term Exposure:** No data for health effects associated with long-term skin exposure.

### Eye Contact:

**Short Term Exposure:** This product is believed to be mildly irritating, to eyes, but is unlikely to cause anything more than mild transient discomfort.

**Long Term Exposure:** No data for health effects associated with long-term eye exposure.

### Ingestion:

**Short Term Exposure:** Significant oral exposure is unlikely. However, this product is believed to be mildly irritating to mucous membranes but is unlikely to cause anything more than mild transient discomfort.

**Long Term Exposure:** No data for health effects associated with long-term ingestion.

### Carcinogen Status:

**ASCC:** No significant ingredient is classified as carcinogenic by ASCC.

**NTP:** No Significant ingredient is classified as carcinogenic by NTP.

**IARC:** No significant ingredient is classified as carcinogenic by IARC.

## Section 4: First Aid Measures

### **General Information:**

Call the Poisons Information Centre immediately if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 11 26 from anywhere in Australia (0800 764 766 in New Zealand) and is always available. Please have this Material Safety Data Sheet on hand when you call.

**Inhalation:** First aid is not generally required. Move to a well-ventilated area. If in doubt, contact a Poisons Information Centre or a doctor.

**Skin Contact:** Irritation is unlikely, however, if irritation does occur, flush with lukewarm, gently flowing water for 5 minutes or until chemical is removed.

**Eye Contact:** Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 5 minutes or until the product is removed, while holding the eyelid(s) open. Obtain medical advice immediately if irritation occurs. Take special care if exposed person is wearing contact lenses.

**Ingestion:** If product is swallowed or gets in mouth, do NOT induce vomiting; wash mouth with water and give some water to drink. If symptoms present or develop, or if in doubt contact a Poisons Information Centre or a doctor.

## Section 5: Fire Fighting Measures

**Fire and Explosion Hazards:** The major hazard in fires is usually inhalation of heated and toxic or oxygen deficient (or both), fire gases. There is little risk of an explosion from this product if commercial quantities are involved in a fire. Violent steam generation or eruption may occur upon application of direct water stream on hot liquids. Vapours from this product are heavier than air and may accumulate in sumps, pits and other low-lying spaces, forming potentially explosive mixtures. They may also flash back considerable distances. Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures.

**Extinguishing Media:** In case of fire, use carbon dioxide, dry chemical, foam, water fog.

**Fire Fighting:** If a significant quantity of this product is involved in a fire, call the fire brigade.

**Flash point:** 135°C Upper Flammability Limit: No data.

**Lower Flammability Limit:** 1.9%  
**Autoignition temperature:** No data.  
**Flammability Class:** Not flammable (GHS); C1 combustible (AS 1940)

### **Section 6: Accidental Release Measures**

**Accidental release:** In the event of a major spill, prevent spillage from entering drains or water courses. Wear full protective chemically resistant clothing including eye/face protection, gauntlets and self-contained breathing apparatus. See below under Personal Protection regarding Australian Standards relating to personal protective equipment. Suitable materials for protective clothing include Nitrile. Eye/face protective equipment should comprise as a minimum, protective goggles. If there is a significant chance that vapours, or mists are likely to build up in the clean-up area, we recommend that you use a respirator. Usually, no respirator is necessary when using this product, however, if you have any doubts consult the Australian Standard mentioned below (section 8). Stop leak if safe to do so and contain spill. Absorb onto sand, vermiculite or other suitable absorbent material. If spill is too large or if absorbent material is not available, try to stop material spreading or going into drains or waterways. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage and dispose of promptly. Recycle containers wherever possible after careful cleaning. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. This material may be suitable for approved landfill. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

### **Section 7: Handling & Storage**

**Handling:** Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this MSDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

**Storage:** Note that this product is GHS Flammable Class 4 and therefore, for Storage, meets the definition of Dangerous Goods. If you store large quantities (tonnes) of such products, we suggest that you consult your state's Dangerous Goods authority in order to clarify your obligations regarding their storage. Store packages of this product in a cool place. Make sure that containers of this product are kept tightly closed. Keep containers dry and away from water. Keep containers of this product in a well-ventilated area. Make sure that the product does not come into contact with substances listed under "Incompatibilities" in Section 10. Check packaging - there may be further storage instructions on the label.

### **Section 8: Exposure Controls and Personal Protection**

The following Australian Standards will provide general advice regarding safety clothing and equipment:  
Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Occupational protective Clothing: **AS/NZS 4501** set 2008, Industrial Eye Protection: **AS1336** and **NZA1337**, Occupational protective Footwear: **AS/NZS2210**.  
**SWA Exposure Limits**                      **TWA (mg/m<sup>3</sup>)**    **STEL (mg/m<sup>3</sup>)**  
Exposure limits have not been established by SWA for this product.

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

**Ventilation:** This product should only be used in a well-ventilated area. If natural ventilation is inadequate, use of a fan is suggested.

**Eye Protection:** Protective glasses or goggles must be worn when this product is being used. Failure to protect your eyes may lead to severe harm to them or to general health. Emergency eye wash facilities must also be available in an area close to where this product is being used.

**Skin Protection:** You should avoid contact even with mild skin irritants. Therefore, you should wear suitable impervious elbow-length gloves and facial protection when handling this product. See below for suitable material types.

**Protective Material Types:** We suggest that protective clothing be made from the following materials: nitrile.

**Respirator:** Usually, no respirator is necessary when using this product, however, if you have any doubts consult the Australian Standard mentioned above. Eyebaths or eyewash stations and safety deluge showers should, if practical, be provided near to where this product is being handled commercially.

### **Section 9: Physical and Chemical Properties**

Physical Description & colour:	Colourless liquid gel.
Odour:	Characteristic odour.
Boiling Point:	242°C at 100kPa
Freezing/Melting Point:	-54°C
Volatiles:	No specific data. Expected to be low at 100°C.
Vapour Pressure:	0.004 kPa at 20°C
Vapour Density:	No data.
Specific Gravity:	1.19 at 20°C
Water Solubility:	Not miscible.
pH:	No data.
Volatility:	No data.
Odour Threshold:	No data.
Evaporation Rate:	No data.
Coeff Oil/water Distribution:	No data.
Autoignition temp:	No data.
Refractive index:	1.419 at 20°C

### **Section 10: Stability and Reactivity**

**Reactivity:** This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

**Conditions to Avoid:** This product should be kept in a cool place, preferably below 30°C. Keep containers tightly closed. Containers should be kept dry. Keep containers and surrounding areas well ventilated.

**Incompatibilities:** Strong oxidising agents.

**Fire Decomposition:** Combustion forms carbon dioxide, and if incomplete, carbon monoxide and possibly smoke. Water is also formed. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death.

**Polymerisation:** This product will not undergo polymerisation reactions.

**Minimum durability before opening:** 12 months

**Minimum durability after opening:** 6 months

### **Section 11: Toxicological Information**

**Local Effects:**

**Target Organs:** There is no data to hand indicating any target organs.

### **Classification of Hazardous Ingredients**

Ingredient	Risk Phrases
Heterocyclic ketone	Conc>=20%: Xi; R36 LD50 Oral, Rat 29000mg/kg

### **Section 12: Ecological Information**

Insufficient data to be sure of status.

### **Section 13: Spillage and Disposal Considerations**

**Disposal:** This product may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. If it has been contaminated, it may be possible to reclaim the product by filtration, distillation or some other means. If neither of these options is suitable in-house, consider controlled incineration, or contact a specialist waste disposal company.

### **Section 14: Transport Information**

**UN Number:** This product is not classified as a Dangerous Good by ADG, IATA or IMDG/IMSBC criteria.

No special transport conditions are necessary unless required by other regulations.

Finished packaged product transported by ground (DOT): Non-hazardous

Finished packaged product transported by vessel (IMDG): Non-hazardous

Finished packaged product transported by air (IATA): Non-hazardous

### **Section 15: Regulatory Information**

**AICS:** This product is compliant with NICNAS regulations.

## **Section 16: Other Information**

**This MSDS contains only safety-related information. For other data see product literature.**

### **ACRONYMS:**

**ADG Code** Australian Code for the Transport of Dangerous Goods by Road and Rail

**AICS** Australian Inventory of Chemical Substances

**ASCC** Office of the Australian Safety and Compensation Council

**CAS Number** Chemical Abstract Service Registry Number

**IARC** International Agency for Research on Cancer

**NTP** National Toxicology Program (USA)

**MSDS Prepared by:** Ex-Import Niche Products

**Date Prepared:** 7/01/2019

**Contact Point** Monday – Friday: Ex-Import Niche Products - Director - +61 7 5576 6388

The information contained herein is accurate to the best of our knowledge, however, it is meant to describe safety requirements of our products, thus this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. No warranty is expressed or made as to this document's accuracy, reliability or completeness. User has the sole responsibility to determine the suitability of the materials for any use and the manner of use contemplated.

**Product name:** Elleebana Adhesive Remover

**Manufacturer's product code:** 1386

**UN-number:** Not available

**USE:** Preparing lashes for lash extensions

**Physical description/properties:**

**Other properties:**

**Chemical ingredients:** According to EU Cosmetics Directive Article 6.1 (g) and INCI: